

Climate-Resilient Livestock Farming: Strategies for Productivity and Sustainability

Apeksha M. Suryawanshi¹, Kiran N. More², Shrikrishna B. Narale³

Introduction:

Livestock farming is an important component of agricultural systems and rural livelihoods. Cattle, buffaloes, goats, sheep, poultry and other livestock provide milk, meat, eggs, manure and regular income to farming households. In mixed farming systems, livestock also contribute to crop production through the recycling of nutrients and utilization of crop residues. However, climate change is creating new challenges for livestock production. Rising temperatures, heat waves, irregular rainfall, droughts, floods, water scarcity, changing fodder availability and the emergence or spread of diseases can directly affect animal health and productivity. These challenges highlight the need to develop **climate-resilient livestock farming systems** that can maintain productivity and profitability under changing environmental conditions.

Climate-resilient livestock farming refers to management practices and production systems that enable livestock and farmers to

withstand, adapt to and recover from climate-related stresses while maintaining productivity and conserving natural resources. The approach combines suitable animal genetics, improved feeding, adequate water supply, climate-responsive housing, preventive healthcare, efficient reproduction, fodder security, proper waste management and appropriate technologies. The objective is not only to protect animals from climate stress but also to improve the overall efficiency, sustainability and economic viability of livestock enterprises.

Climate Change and Livestock Production

Climate change affects livestock through both direct and indirect pathways. High environmental temperature and humidity can cause heat stress, which reduces feed intake, growth, milk production, reproductive efficiency and overall animal performance. Animals may increase their respiration rate and water consumption under high-

Apeksha M. Suryawanshi¹, Kiran N. More², Shrikrishna B. Narale³

¹ Department of Animal Husbandry and Dairy Science (AHDS), Mahatma Phule Krishi Vidyapeeth (MPKV), Rahuri, Maharashtra, India.

² Ph.D. Scholar, Department of Agronomy, Dr. Balasaheb Sawant Konkan Krishi Vidyapeeth (DBSKKV), Dapoli, Maharashtra, India.

³ Ph.D. Scholar, Department of Biochemistry, Mahatma Phule Krishi Vidyapeeth (MPKV), Rahuri, Maharashtra, India.

temperature conditions. Prolonged heat stress can also reduce fertility and increase susceptibility to diseases.

Climate variability also affects the availability and quality of feed resources. Drought can reduce pasture and fodder production, while excessive rainfall and flooding can damage fodder crops and grazing areas. Changes in temperature and humidity can influence the distribution and multiplication of parasites and disease-causing organisms. Water scarcity can further increase production costs and threaten animal health.

These impacts are particularly important for smallholder farmers who may have limited access to irrigation, purchased feed, veterinary services and climate information. Developing resilient livestock systems is therefore essential for protecting both animal productivity and farmer livelihoods.

Selection of Climate-Resilient Breeds

Genetic adaptation is one of the most important strategies for developing climate-resilient livestock. Indigenous and locally adapted breeds often possess valuable characteristics such as tolerance to heat, resistance to locally prevalent diseases and the ability to survive under relatively low-input conditions.

Breed selection should therefore consider not only maximum production but

also adaptability, fertility, disease resistance, longevity and feed-use efficiency. Highly productive animals may perform exceptionally well under controlled conditions but may experience greater stress when exposed to high temperatures or inadequate nutrition.

Appropriate crossbreeding programmes can combine desirable production characteristics with adaptability. However, breeding programmes should be carefully designed to avoid losing valuable adaptive traits. Conservation of indigenous genetic resources is particularly important because these animals may provide genetic material for future climate-resilient breeding programmes.

Heat Stress Management

Heat stress is one of the most significant climate-related challenges in livestock production. High temperatures can reduce feed intake and increase water requirements, resulting in lower milk, meat and egg production. Reproductive performance may also decline during periods of severe heat stress. Proper housing is therefore essential. Animal sheds should provide adequate ventilation, sufficient space and protection from direct solar radiation. Shade trees, roof insulation and appropriate orientation of animal houses can help reduce heat load. Fans, sprinklers or cooling systems can be used in intensive production systems when economically feasible.

Animals should have continuous access to clean drinking water during hot weather. Feeding management can also be adjusted by providing a greater proportion of feed during cooler periods of the day. These simple interventions can substantially reduce heat stress and help maintain animal performance.

Climate-Smart Feeding and Nutrition

Nutrition plays a central role in the ability of livestock to withstand climate-related stress. Animals receiving balanced diets are generally better able to maintain growth, reproduction and production under challenging conditions.

Feed formulation should consider the animal's species, age, body weight, production level and physiological stage. Adequate energy, protein, minerals and vitamins are necessary to maintain animal health and productivity.

Farmers should increase the use of locally available and climate-resilient feed resources where appropriate. Drought-tolerant fodder crops, perennial grasses, legumes, crop residues and fodder trees can provide alternative sources of feed. Proper processing and supplementation can improve the nutritional value of low-quality crop residues.

Feed conservation through hay and silage production is particularly important for climate resilience. Surplus fodder produced during favourable periods can be stored and

used during droughts or other periods of feed shortage.

Fodder Security and Diversification

Reliable fodder availability throughout the year is a major requirement for resilient livestock farming. Farmers should avoid dependence on a single source of feed and develop diversified fodder systems. Seasonal fodder crops can be combined with perennial grasses, legumes and fodder trees to distribute feed production throughout the year.

Agroforestry systems can provide additional sources of fodder while also offering shade, reducing wind speed and improving biodiversity. Fodder banks and community-based feed reserves can provide additional support during drought or other emergencies.

Crop residues should be considered valuable feed resources rather than agricultural waste. Straw, stover and other residues can be chopped, treated or supplemented to improve their feeding value. Efficient utilization of crop residues can reduce feed costs and strengthen the integration between crop and livestock enterprises.

Water Management for Livestock

Adequate availability of clean water is essential for maintaining livestock health and productivity. Water requirements increase significantly during periods of high temperature. Dairy animals, in particular,

require sufficient water to maintain milk production.

Farmers should ensure that drinking-water sources are clean and accessible. Water troughs should be cleaned regularly to prevent contamination. Storage tanks can help maintain water availability during periods of scarcity.

Rainwater harvesting and farm-level water storage can improve water security. Water used for cleaning animal sheds should be managed carefully to prevent contamination of drinking-water sources. Efficient water-use practices can reduce pressure on limited water resources and lower the cost of livestock production.

Climate-Resilient Housing

Livestock housing should be designed according to local climatic conditions. A well-designed animal shed can reduce exposure to heat, cold, rain and strong winds. Natural ventilation is particularly important in hot and humid conditions because it facilitates heat dissipation.

Roofing materials, building orientation, wall height and ventilation openings can influence the internal temperature of livestock shelters. Locally available materials can be used to construct cost-effective climate-responsive housing.

During extreme heat, additional cooling measures such as fans, misting or

sprinklers may be used where feasible. Shade trees around livestock buildings can provide a low-cost method of reducing direct solar exposure while contributing to the farm environment.

Preventive Animal Healthcare

Climate change can influence the occurrence and distribution of livestock diseases. Changes in temperature, rainfall and humidity can create favourable conditions for certain parasites, vectors and pathogens. Preventive healthcare is therefore an essential component of climate-resilient livestock farming.

Regular vaccination, deworming according to veterinary recommendations, proper hygiene and biosecurity can reduce disease risks. Farmers should monitor animals regularly and identify early signs of illness. New animals should be appropriately quarantined before being introduced into an existing herd or flock.

Good nutrition and reduced environmental stress can also strengthen the ability of animals to resist disease. Veterinary services and timely professional advice are essential, particularly during disease outbreaks.

Reproductive Management

Climate stress can adversely affect reproductive performance. Heat stress may reduce conception rates, alter reproductive

behaviour and negatively affect semen and embryo viability. Proper reproductive management is therefore essential for maintaining herd productivity.

Breeding should be planned with consideration of environmental conditions, nutritional status and animal health. Adequate nutrition before breeding and during pregnancy is essential. Proper heat detection, timely breeding and veterinary support can improve reproductive efficiency.

Integrated Crop-Livestock Systems

Integration of crop and livestock enterprises is one of the most effective approaches for improving farm resilience. Crop residues can be used as livestock feed, while animal manure can be returned to agricultural fields as a source of nutrients and organic matter.

This creates a circular system in which resources are recycled within the farm. Manure can improve soil structure, nutrient availability

Table 1. Major Climate-Resilient Livestock Practices and Their Benefits

Climate-resilient practice	Major benefit
Use of locally adapted breeds	Improves tolerance to heat and local stresses
Balanced animal nutrition	Maintains productivity and health during stress
Drought-tolerant fodder crops	Improves feed security
Hay and silage production	Provides feed during lean periods
Adequate clean drinking water	Reduces heat stress and supports production
Shade and proper ventilation	Improves thermal comfort
Climate-responsive housing	Protects animals from extreme weather
Vaccination and biosecurity	Reduces disease risks
Proper reproductive management	Maintains breeding efficiency
Crop-livestock integration	Improves resource recycling
Agroforestry and fodder trees	Provides feed, shade and environmental benefits
Manure management and composting	Recycles nutrients and reduces pollution
Biogas production	Provides renewable energy and useful manure
Digital livestock monitoring	Supports early detection and decision-making
Farm record keeping	Improves management and profitability

Maintaining records of breeding, calving, kidding, lambing and production helps farmers identify reproductive problems and make informed decisions. Efficient reproduction reduces the generation interval and improves productivity per animal.

and water-holding capacity. Improved soil health can, in turn, increase fodder and crop productivity.

Livestock also provide an alternative source of income when crop production is affected by drought, floods or other climatic

events. Similarly, crop production provides feed resources for livestock. Diversification therefore spreads production risk and improves the resilience of the overall farming system.

Manure Management and Circular Agriculture

Effective management of livestock manure is essential for both environmental sustainability and farm productivity. Manure contains nutrients that can be recycled back into crop production. Composting manure can produce a valuable organic fertilizer and reduce nutrient losses.

Biogas systems provide another opportunity to utilize livestock waste. Anaerobic digestion converts manure into biogas that can be used as an energy source, while the remaining digestate can be applied to agricultural fields. This reduces dependence on conventional energy sources and supports nutrient recycling.

Proper manure storage is important to prevent contamination of water bodies and reduce the release of unpleasant odours and greenhouse gases. Circular approaches to livestock farming can convert waste into valuable farm resources.

Digital Technologies for Climate Resilience

Digital technologies can support livestock farmers in monitoring animals and responding to climatic risks. Weather forecasting systems can provide information

about heat waves, heavy rainfall and other extreme weather events. Mobile-based advisory services can help farmers plan feeding, housing and health management.

Sensors and wearable devices can monitor animal movement, feeding behaviour, body temperature and other indicators. Changes in animal behaviour may provide early warning of illness or heat stress. Such technologies can be particularly useful in intensive livestock production systems.

However, digital technologies should be selected according to farm size, cost and technical feasibility. Simple weather information and regular animal observation can also provide significant benefits where advanced technologies are not affordable.

Improving Farm Productivity and Profitability

Climate resilience should ultimately contribute to economic sustainability. Farmers need to maintain production while controlling costs and minimizing losses. Improving productivity per animal can reduce the resources required to produce a unit of milk, meat or eggs.

Better feed conversion, reduced disease incidence, improved reproductive efficiency and lower mortality can directly increase profitability. Diversification through dairy, poultry, sheep, goats, fodder production and

crop enterprises can also distribute economic risk.

Value addition can further improve farm income. Processing milk into products such as curd, paneer and ghee, or marketing livestock products collectively through farmer organizations, can provide opportunities for better returns.

Role of Farmers, Research and Extension

Climate-resilient livestock farming requires cooperation among farmers, veterinarians, researchers, extension workers and policymakers. Farmers need access to climate-resilient breeds, quality feed, veterinary services, reliable weather information and appropriate technologies.

Agricultural universities, veterinary institutions and research organizations can develop locally suitable technologies and management practices. Extension agencies can demonstrate these practices through field demonstrations and farmer training. Farmer Producer Organizations and cooperatives can improve access to inputs, veterinary services, feed resources, markets and technologies. Community-level approaches can be particularly valuable for smallholder farmers who may not be able to invest individually in expensive infrastructure.

Future Prospects

The future of livestock production will increasingly depend on the ability of farming

systems to withstand climatic and economic shocks. Genetic improvement for heat tolerance, precision nutrition, climate-smart fodder systems, improved animal housing, preventive healthcare and digital monitoring can collectively strengthen resilience.

Artificial intelligence and predictive analytics may provide new opportunities for identifying heat-stress risks, predicting disease outbreaks and optimizing feed and water management. However, these technologies should complement basic management practices rather than replace them.

The development of climate-resilient livestock systems should focus on **productivity, adaptability, resource efficiency, animal welfare and farmer profitability simultaneously**. A balanced approach will be essential for ensuring that livestock farming remains productive and sustainable under future climatic conditions.

Conclusion

Climate-resilient livestock farming is essential for maintaining animal productivity, farmer income and food security under changing climatic conditions. Rising temperatures, water scarcity, feed shortages and changing disease patterns require farmers to adopt improved breeds, balanced feeding, efficient water management, climate-responsive housing and preventive healthcare. Fodder conservation, crop-livestock

integration, manure recycling and appropriate digital technologies can further strengthen farm resilience.

The most effective strategy is to combine **locally adapted livestock with improved scientific management and efficient resource utilization**. By adopting practical and economically feasible climate-resilient practices, farmers can reduce production risks, improve animal performance and protect natural resources. Climate-resilient livestock farming can therefore become an important pathway towards productive, profitable, environmentally sustainable and future-ready agricultural systems.

References

1. FAO. 2013. *Tackling Climate Change through Livestock: A Global Assessment of Emissions and Mitigation Opportunities*. Food and Agriculture Organization of the United Nations, Rome.
2. FAO. 2018. *World Livestock: Transforming the Livestock Sector through the Sustainable Development Goals*. Food and Agriculture Organization of the United Nations, Rome.
3. Gerber, P.J., Steinfeld, H., Henderson, B., et al. 2013. *Tackling Climate Change through Livestock*. FAO, Rome.
4. Herrero, M., Henderson, B., Havlík, P., et al. 2016. Greenhouse gas mitigation potentials in the livestock sector. *Nature Climate Change*, **6**: 452–461.
5. Herrero, M., Thornton, P.K., Gerber, P. and Reid, R.S. 2009. Livestock, livelihoods and the environment: Understanding the trade-offs. *Current Opinion in Environmental Sustainability*, **1**(2): 111–120.
6. Mottet, A., de Haan, C., Falcucci, A., Tempio, G., Opio, C. and Gerber, P. 2017. Livestock: On our plates or eating at our table? A new analysis of the feed/food debate. *Global Food Security*, **14**: 1–8.
7. Nardone, A., Ronchi, B., Lacetera, N., Ranieri, M.S. and Bernabucci, U. 2010. Effects of climate changes on animal production and sustainability of livestock systems. *Livestock Science*, **130**: 57–69.
8. Sejian, V., Bhatta, R., Gaughan, J.B., Malik, P.K. and Naqvi, S.M.K. 2018. *Climate Change Impact on Livestock: Adaptation and Mitigation*. Springer, Singapore.
9. Thornton, P.K. 2010. Livestock production: Recent trends, future prospects. *Philosophical Transactions of the Royal Society B: Biological Sciences*, **365**: 2853–2867.

10. Thornton, P.K. and Herrero, M. 2015.

Adapting to climate change in the mixed crop and livestock farming systems in sub-Saharan Africa. *Nature Climate Change*, 5: 830–836.

