

Modern Feeding and Management Practices for Improved Livestock Health and Production

Apeksha M. Suryawanshi¹, Kiran N. More², Shrikrishna B. Narale³

Introduction:

Livestock production is an important component of agriculture and provides milk, meat, eggs, manure and regular income to millions of farming families. The productivity of livestock depends greatly on the quality of feed, availability of clean water, housing conditions, animal health, breeding efficiency and day-to-day management. With increasing feed costs, changing climatic conditions, shortage of quality fodder and growing demand for animal products, traditional livestock management practices alone may not be sufficient to achieve higher and sustainable production. Modern feeding and management practices provide an opportunity to improve animal performance, reduce production costs and maintain better health.

Modern livestock management is based on the principle of providing animals with the **right feed, in the right quantity, at the right time and under suitable environmental conditions**. Scientific feeding, balanced ration

formulation, fodder conservation, mineral supplementation, clean water, proper housing, preventive healthcare and reproductive management can substantially improve livestock productivity. The integration of digital technologies, precision feeding and farm record keeping is further transforming livestock production from experience-based management towards more accurate and efficient decision-making.

Scientific Feeding for Better Animal Performance

Feed is one of the largest costs in livestock production and has a direct influence on growth, reproduction, health and production of milk, meat and eggs. Animals require energy, protein, minerals, vitamins, fibre and water in appropriate quantities. Nutritional requirements vary according to species, breed, age, body weight, production level and physiological stage. Therefore, the same ration should not be provided to all animals irrespective of their requirements.

Apeksha M. Suryawanshi¹, Kiran N. More², Shrikrishna B. Narale³

¹ Department of Animal Husbandry and Dairy Science (AHDS), Mahatma Phule Krishi Vidyapeeth (MPKV), Rahuri, Maharashtra, India.

² Ph.D. Scholar, Department of Agronomy, Dr. Balasaheb Sawant Konkan Krishi Vidyapeeth (DBSKKV), Dapoli, Maharashtra, India.

³ Ph.D. Scholar, Department of Biochemistry, Mahatma Phule Krishi Vidyapeeth (MPKV), Rahuri, Maharashtra, India.

A balanced ration should supply nutrients according to the animal's actual needs. Lactating animals generally require more energy and protein than non-producing animals, while growing animals require nutrients for tissue development. Pregnant animals also need appropriate nutritional support, particularly during the later stages of pregnancy. Scientific ration formulation can prevent both underfeeding and unnecessary expenditure on expensive feed ingredients.

Balanced Ration and Precision Feeding

Precision feeding involves matching nutrient supply as closely as possible with the animal's requirements. Providing excessive nutrients increases feed costs and may result in unnecessary nutrient excretion, whereas inadequate feeding reduces animal productivity and can compromise health.

Ration formulation can be improved by considering the nutrient composition of available feed ingredients. Locally available crop residues, green fodder, dry fodder and concentrate ingredients can be combined to prepare economical and nutritionally balanced diets. In commercial livestock farms, computer-based ration formulation can be used to adjust diets according to production level and feed availability.

Precision feeding is particularly important in dairy production, where feed intake and milk production can be closely

monitored. Adjusting the ration according to changes in milk yield can improve feed conversion and farm profitability.

Quality Green and Dry Fodder

Good-quality fodder is the foundation of economical livestock production. Farmers should cultivate suitable fodder crops according to local climate, soil and water availability. Grasses provide energy and fibre, while leguminous fodders can contribute valuable protein and minerals.

Fodder should be harvested at the appropriate stage to maintain good nutritional quality. Over-mature fodder generally contains more fibre and may have lower digestibility. Proper chopping can reduce wastage and improve feed utilization.

Dry fodder such as straw can be an important component of livestock diets, particularly in crop-livestock farming systems.

However, many crop residues have low nutritional value and may require treatment or supplementation. Appropriate processing and supplementation can improve their utilization and reduce dependence on expensive purchased feeds.

Fodder Conservation through Hay and Silage

Seasonal fluctuations in fodder availability are a major constraint to livestock production. During periods of abundant fodder production, farmers can conserve surplus

material as hay or silage for use during lean periods.

Hay making involves drying fodder to a safe moisture level and storing it under suitable conditions. Silage production involves preserving green fodder under anaerobic conditions through controlled fermentation. Properly prepared silage can retain much of the nutritional value of green fodder and provide a valuable feed resource during periods when fresh fodder is unavailable.

Fodder conservation reduces seasonal feed shortages and can help maintain relatively stable livestock production throughout the year.

Mineral and Vitamin Supplementation

Minerals and vitamins are required in relatively small quantities but play important roles in growth, bone development, reproduction, immunity and production. Deficiencies of calcium, phosphorus, sodium and trace minerals can cause poor growth, reduced fertility and other health problems.

Mineral mixtures should be provided according to the requirements of the species and production system. Supplementation should be based on the quality of the basal diet and local conditions. Indiscriminate supplementation should be avoided because excessive intake of certain minerals can also cause problems.

Importance of Clean Drinking Water

Water is one of the most important nutrients for livestock. It is essential for digestion, metabolism, temperature regulation and production of milk and other animal products. Water requirements increase during hot weather and with higher levels of milk production.

Animals should have regular access to clean and safe drinking water. Water troughs should be cleaned frequently and protected from contamination. In dairy animals, inadequate water intake can rapidly reduce milk production. During periods of high temperature, additional water availability is particularly important for reducing heat stress.

Improved Housing and Environmental Management

Good housing protects animals from extreme temperatures, rain, wind and other environmental stresses. Animal sheds should provide adequate ventilation, sufficient floor space, proper drainage and clean resting areas.

Ventilation is particularly important in warm and humid conditions because it helps remove heat and moisture from the animal environment. Shade trees, appropriate roof design and insulation can reduce heat load. In intensive systems, fans, sprinklers or other cooling systems may be used when economically feasible.

Clean and dry housing also reduces the risk of infections. Regular removal of manure

and proper cleaning of feeding and watering equipment are essential for maintaining hygienic conditions.

Heat-Stress Management

Heat stress is becoming increasingly important because of rising temperatures and more frequent heat waves. High temperatures can reduce feed intake, milk production, growth and reproductive efficiency. Animals may also become more susceptible to disease.

Heat stress can be reduced by providing shade, adequate ventilation, sufficient clean water and appropriate cooling. Feeding during cooler parts of the day can help maintain feed intake. High-quality and highly digestible diets may also be useful because animals often reduce feed intake during severe heat stress.

Farmers should closely observe animals during extreme heat. Increased respiration, excessive panting, reduced activity and decreased feed intake can indicate heat stress and require immediate management attention.

Preventive Healthcare and Biosecurity

Healthy animals are essential for profitable livestock production. Disease outbreaks can result in mortality, reduced productivity, increased treatment expenses and economic losses. Preventive healthcare should therefore receive greater emphasis than treatment alone.

Vaccination programmes should be followed according to recommendations from qualified veterinary professionals. Regular health observation, appropriate parasite control, clean housing and proper nutrition can reduce disease risks.

Biosecurity is particularly important on commercial farms. Newly purchased animals should be appropriately isolated before being introduced into an existing herd or flock. Farm visitors, equipment and vehicles should be managed to reduce the possibility of disease transmission.

Reproductive Management

Efficient reproduction is essential for maintaining livestock productivity. Poor reproductive performance can increase the cost of maintaining non-productive animals and reduce farm income. Proper nutrition, disease prevention, heat detection and timely breeding are important for successful reproduction.

Farmers should maintain records of breeding, calving, kidding, lambing, milk production and health events. These records can help identify animals with poor reproductive performance and support informed management decisions.

Careful management during pregnancy and around parturition is also important. Adequate nutrition and hygienic conditions can improve the health of both the mother and newborn animal.

Young-Animal Management

The survival and healthy development of young animals are essential for the future productivity of a livestock enterprise. Newborn animals require appropriate care immediately after birth. In dairy animals, timely intake of good-quality colostrum is particularly important because it provides antibodies that support early immune protection.

Young animals should receive adequate nutrition, clean water and suitable housing. Regular health monitoring can help

identify diarrhoea, respiratory problems, parasitic infections and other health issues at an early stage.

Good calf, kid and lamb management can reduce mortality and help animals reach productive age more efficiently.

Use of Feed Additives and Improved Feed Resources

Modern livestock feeding may involve the use of appropriate feed additives and improved feed resources to support digestion, animal performance and feed efficiency.

Depending on species and production system,

Table 1. Modern Feeding and Management Practices for Livestock Production

Practice	Major purpose	Expected benefit
Balanced ration formulation	Meet animal nutrient requirements	Improved growth and production
Precision feeding	Match nutrients with production level	Better feed efficiency
Quality green fodder	Provide digestible nutrients	Improved animal performance
Hay and silage making	Preserve surplus fodder	Feed availability during lean periods
Mineral supplementation	Prevent mineral deficiencies	Better health and reproduction
Clean drinking water	Meet hydration requirements	Improved health and productivity
Proper housing	Reduce environmental stress	Better animal comfort
Heat-stress management	Reduce thermal stress	Maintains production during hot weather
Vaccination	Prevent infectious diseases	Lower disease losses
Biosecurity	Reduce disease introduction	Improved herd health
Reproductive management	Improve breeding efficiency	Better herd productivity
Young-animal management	Improve survival and growth	Stronger replacement stock
Manure management	Recycle nutrients	Improved farm sustainability
Digital monitoring	Track animal performance	Timely management decisions
Farm record keeping	Monitor costs and production	Improved profitability

additives such as buffers, enzymes, probiotics and other approved products may have specific applications.

However, feed additives should not be considered substitutes for a balanced basic ration. Their use should be based on scientific evidence, product quality and professional recommendations. Farmers should avoid unverified products or inappropriate supplementation.

Improved utilization of crop residues and locally available feed resources can also reduce feed costs. Processing, supplementation and proper storage can increase the value of materials that might otherwise be wasted.

Digital Technologies in Livestock Management

Digital technologies are increasingly being used to improve livestock management. Sensors, electronic identification systems, mobile applications and automated monitoring systems can provide information about animal activity, feeding behaviour, body temperature and production.

Wearable sensors may help identify changes in animal behaviour associated with illness, heat stress or reproductive activity. Automated feeding systems can deliver feed more accurately in intensive livestock operations. Digital records can also help farmers monitor milk production, feed

consumption, reproductive performance and veterinary treatments.

The use of technology should be based on farm requirements and economic feasibility. Smallholder farmers may benefit from simple mobile-based advisory services and digital record keeping, while larger commercial farms may be able to adopt advanced automated systems.

Integrated Crop-Livestock Management

Modern livestock management can be strengthened by integrating animals with crop production. Crop residues such as straw, maize stover and other agricultural by-products can be utilized as livestock feed after suitable processing and supplementation. Livestock manure can be composted and returned to crop fields as a source of nutrients and organic matter.

This integration creates a circular production system in which nutrients and biomass are recycled within the farm. It can reduce waste, lower input costs and improve overall farm productivity.

Agroforestry and fodder-tree systems can further strengthen integration by providing fodder, shade and additional farm products. Diversification of crop and livestock enterprises can also reduce economic risks associated with dependence on a single agricultural activity.

Sustainable Waste and Manure Management

Livestock manure should be considered a valuable resource rather than waste. Proper collection, storage and composting can help recycle nutrients and improve soil fertility. Composting also reduces the volume of raw manure and makes it easier to transport and apply to fields.

Biogas production provides an additional opportunity for waste utilization. Animal manure can be converted into biogas for cooking or other energy requirements, while the remaining digestate can be used as an organic fertilizer. Such systems can reduce dependence on conventional energy sources and contribute to circular agriculture.

Record Keeping and Farm-Level Decision Making

Accurate record keeping is a simple but powerful management practice. Farmers should maintain records of feed costs, animal identification, milk or meat production, breeding events, vaccinations, disease treatments, mortality and sales.

These records help farmers identify productive and unproductive animals and calculate the actual profitability of the enterprise. They can also support breeding decisions and early identification of management problems.

Farm records become even more useful when combined with digital tools that can automatically calculate production trends, feed efficiency and economic returns.

Economic Benefits of Modern Livestock Management

Modern feeding and management practices can improve farm profitability by increasing productivity and reducing unnecessary costs. Better feed conversion, improved reproductive efficiency, reduced disease incidence and lower mortality directly contribute to economic returns.

Producing more milk or meat per animal can reduce the resources required per unit of product. Efficient feed utilization can lower the largest component of livestock production costs. Preventive healthcare can reduce expenditure on treatment and minimize production losses.

Value addition and improved marketing can provide additional opportunities. Farmers can process milk into products such as curd, paneer and ghee or market livestock products collectively through cooperatives and Farmer Producer Organizations.

Challenges in Adoption

Despite their benefits, modern livestock practices may face limitations such as high feed costs, inadequate availability of quality fodder, limited access to veterinary

services, lack of technical knowledge and insufficient financial resources. Small and marginal farmers may find some advanced technologies difficult to adopt individually.

Training, demonstrations and extension support are therefore essential. Affordable technologies and community-based services can make modern livestock management more accessible. Custom-hiring and service-provider models can allow farmers to access technologies without making large capital investments.

Future Prospects

The future of livestock production will increasingly involve precision nutrition, climate-smart housing, digital monitoring, improved genetics and preventive healthcare. Artificial intelligence and data analytics may support early detection of diseases, prediction of reproductive events and optimization of feeding strategies.

Precision livestock farming can integrate data from sensors, production records and environmental monitoring systems to provide more accurate management recommendations. However, technological advancement should remain farmer-oriented and economically feasible.

The combination of traditional knowledge with modern scientific practices can provide a practical pathway for improving

livestock health, productivity and sustainability.

Conclusion

Modern feeding and management practices are essential for improving livestock health, productivity and profitability. Balanced nutrition, quality fodder, mineral supplementation, clean water, proper housing, heat-stress management, preventive healthcare and efficient reproductive management can significantly improve animal performance. Integration of crop and livestock enterprises further enhances resource recycling and farm sustainability. Digital technologies and precision livestock management can provide additional opportunities for timely and accurate decision-making. By adopting scientifically sound, affordable and locally suitable practices, farmers can achieve **better animal health, higher productivity, lower production costs and more sustainable livestock farming systems.**

References

1. FAO. 2013. *Tackling Climate Change through Livestock: A Global Assessment of Emissions and Mitigation Opportunities*. Food and Agriculture Organization of the United Nations, Rome.
2. FAO. 2018. *World Livestock: Transforming the Livestock Sector*

through the Sustainable Development Goals. Food and Agriculture Organization of the United Nations, Rome.

of the Royal Society B, 365: 2853–2867.

3. Gerber, P.J., Steinfeld, H., Henderson, B., et al. 2013. *Tackling Climate Change through Livestock*. FAO, Rome.
4. Mottet, A., de Haan, C., Falcucci, A., Tempio, G., Opio, C. and Gerber, P. 2017. Livestock: On our plates or eating at our table? A new analysis of the feed/food debate. *Global Food Security*, 14: 1–8.
5. Nardone, A., Ronchi, B., Lacetera, N., Ranieri, M.S. and Bernabucci, U. 2010. Effects of climate changes on animal production and sustainability of livestock systems. *Livestock Science*, 130: 57–69.
6. National Research Council. 2001. *Nutrient Requirements of Dairy Cattle*. 7th revised ed. National Academies Press, Washington, DC.
7. Sejian, V., Bhatta, R., Gaughan, J.B., Malik, P.K. and Naqvi, S.M.K. 2018. *Climate Change Impact on Livestock: Adaptation and Mitigation*. Springer, Singapore.
8. Thornton, P.K. 2010. Livestock production: Recent trends, future prospects. *Philosophical Transactions*

