NEW ERA AGRICULTURE MAGAZINE

Beat Fodder Shortage with Silage: A Practical Guide for Dairy Farmers

Snehal Misal[1], Ankita Bhosale[2], Akshata Patil[3]

Introduction:

Fodder is the foundation of successful dairy farming. Adequate and nutritious feed is essential for maintaining animal health, milk production and reproductive performance. However, seasonal changes, drought and irregular rainfall often create shortages of green fodder, forcing farmers to purchase expensive feed or depend on low-quality crop residues.

These difficulties can be reduced through proper fodder conservation. **Silage making is a practical method of preserving surplus green fodder for use during summer, drought and other periods of scarcity.** By planning ahead, dairy farmers can maintain a more reliable feed supply and reduce their dependence on emergency fodder purchases.



Snehal Misal[1], Ankita Bhosale[2], Akshata Patil[3]

[1],Ph.D. Scholar, Division of Animal Genetics and Breeding, ICAR–National Dairy Research Institute, Karnal–132001, Haryana, India

[2] Assistant Professor, Department of Livestock Production Management Lokmangal Veterinary College, Wadala, Solapur–413222, Maharashtra, India

[3] Assistant Professor Department of Livestock Farm Complex, Shri Bhaurao Deshpande Veterinary College, Athani, Karnataka Veterinary, Animal and Fisheries Sciences University (KVAFSU), Bidar–585401, Karnataka, India

What Is Silage?

Silage is green fodder preserved through controlled fermentation under airtight conditions. Suitable fodder is chopped, packed tightly and sealed so that beneficial microorganisms produce acids that help preserve it.

Maize and sorghum are commonly used for silage making. Other suitable fodder crops may also be used, depending on their nutritional characteristics, moisture content and local availability.

Unlike hay, which is preserved by drying, silage is stored at a relatively high moisture content. When properly prepared and stored, it can provide valuable roughage during periods when fresh green fodder is unavailable.

Why Is Silage Important for Dairy Farmers?

Silage offers several practical advantages:

- **Fodder security:** Stores surplus green fodder for future use.
- **Drought preparedness:** Helps maintain feed availability during dry periods.
- **Reduced fodder wastage:** Preserves suitable fodder that might otherwise become overmature or go unused.
- **More consistent feeding:** Helps farmers maintain a regular supply of roughage throughout the year.
- **Better feed planning:** Allows farmers to prepare for seasonal shortages rather than buying fodder at the last minute.

The benefits depend on good-quality fodder, correct preparation, proper storage and economical management.

How to Prepare Good-Quality Silage

1. Select suitable fodder

Choose healthy fodder crops such as maize or sorghum and harvest them at the recommended stage. Overmature fodder may have lower digestibility, while very immature or excessively wet material may be difficult to preserve properly. Consult your local Krishi Vigyan Kendra (KVK) or agricultural university for crop-specific harvesting advice.

2. Chop the fodder

Chop the fodder into reasonably uniform, short pieces using a suitable chaff cutter. Proper chopping helps the material pack tightly and reduces air pockets.

Keep the harvested material clean and avoid contamination with soil, stones, plastic or other foreign substances.

3. Maintain suitable moisture

Moisture management is essential for successful silage making. Excessively wet fodder may undergo undesirable fermentation and produce seepage, while very dry material can be difficult to compact.

The appropriate moisture level depends on the crop and storage method. Follow locally

validated recommendations rather than using the same procedure for every fodder crop.

4. Choose a suitable storage structure

Silage can be stored in a properly constructed pit, bunker or suitable silage bag. The storage area should be well drained and protected from rainwater, flooding and physical damage.

Small-scale farmers may consider suitable bag systems, while larger farms may find a pit or bunker more practical.

5. Fill, compact and seal

Fill the storage structure promptly after chopping. Spread the fodder in layers and compact each layer thoroughly to remove trapped air.

Seal the structure with an appropriate airtight cover and protect it from punctures, rainwater and animal damage. Poor compaction or damaged covers can allow air to enter and encourage spoilage.

6. Allow fermentation to occur

Keep the structure sealed for the recommended fermentation period. The required duration depends on the crop and storage system.

Avoid opening the structure prematurely, and follow guidance from trained extension personnel.

7. Inspect before feeding

Good silage generally has a pleasant, mildly acidic smell and retains the characteristic appearance of the crop, although its colour may change.

Do not feed visibly mouldy, rotten or suspicious silage to animals. Some harmful



toxins cannot be reliably detected by smell or appearance alone. If contamination is suspected, seek professional advice.

How Should Silage Be Fed to Cows and Buffaloes?

Silage should be introduced gradually, especially when animals are not accustomed to it. The quantity required depends on body weight, milk production, physiological stage, silage quality and the other feeds in the ration.

For better results:

- Combine silage with appropriate energy and protein sources as required.
- Provide mineral supplementation according to the animal's needs.
- Ensure access to clean drinking water.
- Avoid sudden changes in the feeding schedule or ration.
- Monitor feed intake, milk yield, dung consistency and general health.

Common Mistakes to Avoid	
Mistake	**Possible consequence**
Harvesting fodder at an unsuitable stage	Reduced feeding value or poor preservation
Inadequate compaction	Air pockets and increased spoilage
Poor sealing	Entry of air and deterioration
Allowing rainwater into storage	Loss of silage quality
Feeding mouldy or rotten silage	Risk of exposure to harmful toxins
Changing the ration suddenly	Digestive disturbances

Silage is not a complete ration for every animal. Lactating cows, pregnant buffaloes, growing calves and dry animals have different nutritional requirements. A veterinarian or animal nutritionist can help formulate a balanced ration.

Plan Ahead for the Dry Season

The best time to prepare for fodder scarcity is when green fodder is abundant. Farmers should estimate the number of animals in their herd, their daily feed requirements and the amount of fodder available.

Community silage-making facilities, shared chaff cutters and farmer cooperatives can help reduce equipment and labour costs. Farmers should also compare the cost of producing and storing silage with the cost of purchasing alternative feeds.

Conclusion

Silage making is a useful strategy for conserving surplus green fodder and reducing the impact of seasonal shortages. Its success depends on selecting suitable crops, maintaining appropriate moisture, compacting and sealing correctly, preventing contamination and feeding the preserved fodder as part of a balanced ration.

With timely planning and proper preparation, dairy farmers can build a more reliable fodder reserve and manage difficult seasons more effectively.

Remember: Preserve fodder when it is plentiful, store it safely and feed it wisely when shortages arise.

References

1. Food and Agriculture Organization of the United Nations (FAO). *Silage from By-products for Smallholders*. FAO resource.
2. Wilkinson, J. M., and Davies, D. R. (2013). The aerobic stability of silage: Key findings and recent developments. *Grass and Forage Science, 68*(1), 1–19. https://doi.org/10.1111/j.1365-2494.2012.00891.x
3. Kung, L. Jr., Shaver, R. D., Grant, R. J., and Schmidt, R. J. (2018). Silage review: Interpretation of chemical, microbial, and organoleptic components of silages. *Journal of Dairy Science, 101*(5), 4020–4033. https://doi.org/10.3168/jds.2017-13909
4. Food and Agriculture Organization of the United Nations (FAO). *Production of High Quality Silage for Dry Season Feeding of Smallholder Livestock*. FAO TECA technical guidance.